

## Material Safety Data Sheet

Version 1.0

Revision Date 11/20/2017

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Methyl salicylate

Product Number : CN000533

Brand : PUSH

Company : Chengdu Push Bio-technology Co., Ltd.

No.8 West Wuke second road, Wuhou District, Chengdu City, Sichuan

Province, China

Telephone : 86-28-85370565-215

Fax : 86-28-85370565-777

Emergency Phone # : 86-28-85370565-215

### 2. HAZARDS IDENTIFICATION

#### OSHA Hazards

Target Organ Effect, Harmful by ingestion. Irritant, Teratogen.

#### Target Organs

Central nervous system, Liver, ears, Kidney, Eyes.

#### GHS Label elements, including precautionary statements

Pictogram



Signal word **Warning**

Hazard statement(s)

H302 Harmful if swallowed.

H315 Causes skin irritation.

No.8 Wuke West Second Road, Wuhou district, Chengdu, Sichuan, China, 610045

Tel: 86-28-85370565-215

Fax: 86-28-85370565-777

Website: <http://www.push-herbchem.com>

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/eye protection/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P321 Specific treatment (see supplemental first aid instructions on this label).

P330 Rinse mouth.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container to an approved waste disposal plant.

**HMIS Classification**

**Health hazard:** 2

**Flammability:** 1

**Physical hazards:** 0

**NFPA Rating**

**Health hazard:** 2

**Fire:** 1

**Reactivity Hazard:** 0

**Potential Health Effects**

**Inhalation** May be harmful if inhaled. Causes respiratory tract irritation.

**Skin** May be harmful if absorbed through skin. Causes skin irritation.

**Eyes** Causes eye irritation.

**Ingestion** Harmful if swallowed.

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Chemical Name:** Methyl salicylate

**CAS#:** 119-36-8

**Formula:**  $C_8H_8O_3$

**Molecular Weight:** 152.149

---

**4. FIRST AID MEASURES**

**General advice**

Consult a doctor.

Show this safety data sheet to the doctor in attendance.

Move out of dangerous area.

**If inhaled**

If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a doctor.

**In case of skin contact**

Wash off with soap and plenty of water. Consult a doctor.

**In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a doctor.

**If swallowed**

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a doctor.

---

**5. FIRE FIGHTING MEASURES**

**Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Special protective equipment for fire-fighters**

Wear self contained breathing apparatus for fire fighting if necessary.

---

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions**

Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation. Evacuate personnel to safe areas.

**Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

**Methods and materials for containment and cleaning up**

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

---

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

**Conditions for safe storage**

Keep container tightly closed.

Recommended storage temperature: 2 - 8°C

Keep in a dry place.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

### Personal protective equipment

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99(US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator.

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection

Handle with gloves.

#### Eye protection

Tightly sealed goggles.

#### Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

#### Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance:

Transparency liquid

### Safe data

|               |                   |
|---------------|-------------------|
| pH            | no data available |
| Melting point | -8.6 °C           |
| Boiling point | 220-224 °C        |

|                       |                   |
|-----------------------|-------------------|
| Flash point           | 96 °C             |
| Ignition temperature  | 453 °C            |
| Lower explosion limit | no data available |
| Upper explosion limit | no data available |
| Water solubility      | insoluble         |
| Solubility            | Methanol          |

## 10. STABILITY AND REACTIVITY

### Chemical stability

Stable under recommended storage conditions.

### Conditions to avoid

Heat. Light.

### Materials to avoid

Strong bases, Strong oxidizing agents.

### Hazardous decomposition products

Other decomposition products - no data available.

Hazardous decomposition products formed under fire conditions. - Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity data

| Type of test     | Route        | Species             | Dose       |
|------------------|--------------|---------------------|------------|
| LD <sub>Lo</sub> | Oral         | Human - man         | 101 mg/kg  |
| LD <sub>Lo</sub> | Oral         | Human - man         | 1329 mg/kg |
| LD <sub>Lo</sub> | Oral         | Human - child       | 228 mg/kg  |
| LD <sub>Lo</sub> | Oral         | Human - child       | 700 mg/kg  |
| LD <sub>Lo</sub> | Oral         | Human - woman       | 355 mg/kg  |
| LD <sub>Lo</sub> | Oral         | Human - infant      | 1480 mg/kg |
| LD <sub>Lo</sub> | Oral         | Human               | 506 mg/kg  |
| LD <sub>Lo</sub> | Unreported   | Human - man         | 522 mg/kg  |
| LD <sub>50</sub> | Oral         | Rodent - rat        | 887 mg/kg  |
| LD <sub>50</sub> | Oral         | Rodent - mouse      | 1110 mg/kg |
| LD <sub>50</sub> | Oral         | Mammal - dog        | 2100 mg/kg |
| LD <sub>Lo</sub> | Subcutaneous | Mammal - dog        | 2250 mg/kg |
| LD <sub>50</sub> | Oral         | Rodent - rabbit     | 1300 mg/kg |
| LD <sub>Lo</sub> | Subcutaneous | Rodent - rabbit     | 4250 mg/kg |
| LD <sub>50</sub> | Oral         | Rodent - guinea pig | 700 mg/kg  |
| LD <sub>Lo</sub> | Subcutaneous | Rodent - guinea pig | 1500 mg/kg |

No.8 Wuke West Second Road, Wuhou district, Chengdu, Sichuan, China, 610045

Tel: 86-28-85370565-215

Fax: 86-28-85370565-777

Website: <http://www.push-herbchem.com>

#### Other multiple dose toxicity data

| Type of test     | Route                        | Species         | Dose                           |
|------------------|------------------------------|-----------------|--------------------------------|
| TD <sub>Lo</sub> | Oral                         | Rodent - rat    | 71400 mg/kg/17W-C              |
| TD <sub>Lo</sub> | Oral                         | Rodent - rat    | 546 gm/kg/2Y-C                 |
| TC <sub>Lo</sub> | Inhalation                   | Rodent - rat    | 40 mg/m <sup>3</sup> /4H/17W-I |
| TD <sub>Lo</sub> | Oral                         | Rodent - rat    | 85200 mg/kg/10W-C              |
| TD <sub>Lo</sub> | Oral                         | Mammal - dog    | 40800 mg/kg/59D-I              |
| TD <sub>Lo</sub> | Administration onto the skin | Rodent - rabbit | 330 gm/kg/90D-I                |

#### Tumorigenic data

no data available

#### Mutation data

| Type of test               | System                            | Dose        |
|----------------------------|-----------------------------------|-------------|
| Mutation in microorganisms | Bacteria - Salmonella typhimurium | 100 ug/disc |

#### Serious eye damage/eye irritation

no data available

#### Respiratory or skin sensitization

no data available

#### Reproductive toxicity

| Type of test     | Route                        | Species          | Dose        |
|------------------|------------------------------|------------------|-------------|
| TD <sub>Lo</sub> | Oral                         | Rodent - rat     | 36450 mg/kg |
| TD <sub>Lo</sub> | Intraperitoneal              | Rodent - rat     | 400 mg/kg   |
| TD <sub>Lo</sub> | Intraperitoneal              | Rodent - rat     | 500 mg/kg   |
| TD <sub>Lo</sub> | Subcutaneous                 | Rodent - rat     | 500 mg/kg   |
| TD <sub>Lo</sub> | Oral                         | Rodent - hamster | 1750 mg/kg  |
| TD <sub>Lo</sub> | Administration onto the skin | Rodent - hamster | 5250 mg/kg  |

#### Specific target organ toxicity - single exposure (GHS)

Inhalation - May cause respiratory irritation.

#### Specific target organ toxicity - repeated exposure (GHS)

no data available

#### Aspiration hazard

no data available

#### Potential health effects



|                   |  |
|-------------------|--|
| <b>Inhalation</b> | May be harmful if inhaled. Causes respiratory tract irritation.  |
| <b>Ingestion</b>  | Harmful if swallowed.  |
| <b>Skin</b>       | May be harmful if absorbed through skin. Causes skin irritation. |
| <b>Eyes</b>       | Causes eye irritation.   |

### Signs and Symptoms of Exposure

Mild chronic salicylate intoxication is termed salicylism. Symptoms include: headache, dizziness, ringing in the ears, difficulty in hearing, dimness of vision, mental confusion, lassitude, drowsiness, sweating, thirst, hyperventilation, nausea, vomiting, and occasionally diarrhea. A more severe degree of salicylate intoxication is characterized by more pronounced CNS disturbances (including generalized convulsions and coma), skin eruptions, and marked alterations in acid-base balance.

---

## 12. ECOLOGICAL INFORMATION

### Toxicity

no data available

### Persistence and degradability

no data available

### Bioaccumulative potential

no data available

### Mobility in soil

no data available

### PBT and vPvB assessment

no data available

### Other adverse effects

no data available

---

## 13. DISPOSAL CONSIDERATIONS

### Product

Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and

No.8 Wuke West Second Road, Wuhou district, Chengdu, Sichuan, China, 610045  
Tel: 86-28-85370565-215 Fax: 86-28-85370565-777  
Website: <http://www.push-herbchem.com>



scrubber.

**Contaminated packaging**

Dispose of as unused product.

---

**14. TRANSPORT INFORMATION**

**DOT (US)**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

---

**15. REGULATORY INFORMATION**

**OSHA Hazards**

Target Organ Effect, Harmful by ingestion. Irritant, Teratogen.

**DSL Status**

This product contains the following components that are not on the Canadian DSL nor NDSL lists.

Benzoic acid, 2-hydroxy-, methyl ester

CAS-No. 119-36-8

**SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the thresh

(De Minimis) reporting levels established by SARA Title III, Section 313.

**SARA 311/312 Hazards**

Acute Health Hazard

### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

### **Pennsylvania Right To Know Components**

Benzoic acid, 2-hydroxy-, methyl ester

CAS-No. 119-36-8

### **New Jersey Right To Know Components**

Benzoic acid, 2-hydroxy-, methyl ester

CAS-No. 119-36-8

### **California Prop. 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

## **16. OTHER INFORMATION**

This MSDS above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.